de

	Application No.	Applicant(s)
Al-Ai of Allowskillar	10/772,564	MA ET AL.
Notice of Allowability	Examiner	Art Unit
	Ryan Lepisto	2883
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>amendment filed 11 May 2005</u> .		
2. The allowed claim(s) is/are 1,3-11,13-21,23-31,33-41,43-51,53-61,63-71,73-81,83-91,93-101,103-111 and 113-132.		
3. The drawings filed on <u>05 February 2004</u> are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies-not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date (b) including indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dat 8), 7. ☐ Examiner's Amendn	te

DETAILED ACTION

Allowable Subject Matter

1. Claims 1, 3-11, 13-21, 23-31, 33-41, 43-51, 53-61, 63-71, 73-81, 83-91, 93-101, 103-111 and 113-132 are allowed.

The following is an examiner's statement of reasons for allowance:

With regard to claims 1, 11, 21, 31, 41, 51, 61, 71, 81, 91, 101 and 111: These claims are allowable over the prior art of record because the latter, either alone or in combination, does not disclose nor render obvious a thermal actuator wherein beams in a beam array having beam segments with (any of) segment widths and average widths orthogonal to the beam length that vary based on a predetermined pattern wherein extending orthogonally from one support to a beam mid-point (any of) the beam segment widths and average widths of successive beam segments do not decrease and at least sometimes increase and along the beam length from the beam mid-point to a second support (any of) the beam segment width and average width values of successive beam segments do not increase and at least sometimes decrease wherein the beam is either straight on one side or the other, in combination with the rest of the claimed limitations.

With regard to claims 3-10, 13-20, 23-30, 33-40, 43-50, 53-60, 63-70, 73-80, 83-90, 93-100, 103-110 and 113-132: These claims are allowable over the prior art of record because they depend from allowable claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably

Application/Control Number: 10/772,564

Art Unit: 2883

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Page 3

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ryan Lepisto whose telephone number is (571) 272-1946. The examiner can normally be reached on M-F 7:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Frank Font can be reached on (571) 272-2415. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Frank & Fort

Ryan Lepisto Frank Font

Art Unit 2883 Supervisory Patent Examiner

Date: 6/13/05 Technology Center 2800